

# INTERIOR SIGNAGE STANDARDS MANUAL

Office of University Planning  
Virginia Tech 2018

# CONTENTS

Introduction	03
Deliverable Examples	05
Sign Overview	11
Individual Sign Specs	15
Placement	45
Branding + Fonts	52
Contact	56
Appendices	57
A: Example Signage Schedule	58
B: Example Evacuation Sign	59
C: Example Directional Sign	60

# INTRODUCTION

## INTRODUCTION

Virginia Tech interior signage standards are established by the Office of University Planning as a component of the Virginia Tech D.C.S (Orange Manual).

The campus has signage standards to provide consistent wayfinding and visual uniformity throughout campus. Wayfinding is the practice of planning and providing for clear paths of travel and clearly defined destinations through visual cues and the application of signage. A consistent design aesthetic, as well as typical applications, assists the campus community and its visitors with finding their destinations more easily.

Interior signs are organized in three different groups: Regulatory, Room Identification, and Directional, Emergency Evacuation, and Informational.

This document also introduces the documents needed for a complete interior sign submittal for a project to Virginia Tech. These documents include a signage installation plan, a signage schedule, and finally, evacuation and directional sign examples.



A decorative graphic consisting of a solid orange line that starts as a diagonal stroke from the top left and then turns into a horizontal line that forms the top-left corner of a dashed rectangular box. The text "DELIVERABLE EXAMPLES" is centered within this dashed box.

# DELIVERABLE EXAMPLES

## DELIVERABLES

This document introduces the documents needed for a complete interior sign submittal for a project to Virginia Tech. These documents include a signage schedule, a signage installation plan, and evacuation and directional sign examples.

The signage schedule will be provided by the A/E responsible for the project. These files are available from the owner or project manager or OUP.


Signage Installation plans will be provided by the A/E responsible for the project.

Evacuations signs will be provided by the A/E responsible for the project. These files are available from the owner or project manager or OUP.

Directional signs will be provided by the A/E responsible for the project. These files are available from the owner or project manager or OUP.




## Deliverable Examples



### Signage Installation Plans

Signage Installation plans will be provided by the A/E responsible for the project.

## Deliverable Examples



### Evacuation Signs

Evacuations signs will be provided by the A/E responsible for the project. These files are available from the owner or project manager or OUP

## Deliverable Examples



Company Meeting  
Room

Rooms 0B07 - 0B60

Conference Room

Study

Laundry

Living Room

Restrooms

Elevator

Stairs

TRIM LINE

INSTALLATION INFO:  
DIRECTORY SIGN  
BRODIE, BASEMENT, A000.1  
(EXAMPLE: ICTAS II, 1ST FLOOR, AREA A2)

### DIR TEMPLATE

A/E TO PROVIDE GRAPHIC:  
-PROVIDE HIGH LEVEL DIRECTIONAL  
INFORMATION FOR ALL SHARED SPACE  
INCLUDING LOBBY, ELEVATORS, STAIRS,  
RESTROOMS AND ROOM NUMBERS.  
-PROVIDE INSTALLATION INFO.  
-HELvetica FONT  
-OFFICIAL VT LOGO  
-VT MAROON = PMS 208  
-PROVIDE ADOBE ILLUSTRATOR FILES  
TO VT FOR FUTURE CHANGES

### Directional Signs

Directional signs will be provided by the A/E responsible for the project. These files are available from the owner or project manager or OUP

# SIGN OVERVIEW

## Sign Overview

LIST OF APPROVED INTERIOR SIGN  
MANUFACTURERS AS OF JANUARY 2018:

Text under review

SIGN MANUFACTURER APPROVAL  
PROCESS:

Text under review.






## Sign Overview

### REGULATORY SIGNAGE [R]

Regulatory Signage (Code related signage for emergency or ADA access)




Selected Examples:



### ROOM IDENTIFICATION SIGNAGE [ID]

Room Identification Signage has two components: Utility Spaces (Includes housekeeping, electrical, etc.) and Standard Spaces (Includes signs for departmental offices, labs, workstations, etc.)

Selected Examples:



## Sign Overview



### EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

Emergency Egress Signage (Evacuation maps for building occupants, content approval required by VT Environmental Health and Safety)

Directional & Directory Signage (Wayfinding throughout building either wall or ceiling mounted & directories for buildings or suites)

Informational Signage (signs with temporary or customizable content)

#### Selected Examples:



North End Center	
<b>SECOND FLOOR</b>	
Procurement	Suite 2100
Human Resources	Suite 2300
Training Rooms	Rooms 2200-2470
<b>THIRD FLOOR</b>	
Capital Assets and Financial Management	Suite 3110
University Internal Audit	Suite 3300
Lactation Room	Room 3235
University Controller	Suite 3300
Payroll	Accounts Payable
Financial Reporting	Cost Accounting
Fixed Assets	Risk Management
Office for Diversity and Inclusion	Suite 3500
Conference Room	Room 3600
<b>FOURTH FLOOR</b>	
● YOU ARE HERE	
Office of Research Compliance	Suite 4100/4120
Office of Sponsored Programs	Suite 4200
College of Science Administration	Suite 4300
Conference Room	Room 4380
Conference Room	Room 4390
Office of Export and Secure Research Compliance	Suite 4400
Business Services	Suite 4500
Bridge to Parking Deck	



# INDIVIDUAL SIGN SPECS



## Drawings + Specifications

REGULATORY SIGNAGE [R]

**Signtype: [R-M]**

MEN'S RESTROOM



**PLAN VIEW**



**FRONT VIEW**

8x6

Note: Include ADA symbol in accordance with Accessible Building Code.

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

8x6 Frame

FVS0806(V) (Square)

I.D. Size: 8"x6"

Color: Natural Satin

Insert:

Sign Insert

Part Code: FVS0606(V) (ClearLens)

Size: 6"x6"

Part Color: A00 White

*Insert Laser Printed Graphics:*

Symbol: S60 (Men/Accessible)

Size: 4"

Color: Laser Printed Black

Sign Band

Part Code: FV-942-354 (Horiz. Grain)

Size: 2"x6"

Part Color: Silver

*Band Raster Graphics:*

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as background.)

REGULATORY SIGNAGE [R]

**Signtype: [R-W]**

WOMENS RESTROOM



**PLAN VIEW**



**FRONT VIEW**

8x6

Note: Include ADA symbol in accordance with Accessible Building Code.

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0806(V) (Square)

I.D. Size: 8" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0606(V) (ClearLens)

Size: 6" x 6"

Paper Color: A00 White

Laser Printed Graphics:

Symbol: S59 (Women/Accessible)

Size: 3 3/4"

Color: Laser Printed Black

Sign Band

Part Code: FV-942-354 (Horiz. Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)


REGULATORY SIGNAGE [R]

**Signtype: [R-SUR]**

ALL-GENDER RESTROOM



**PLAN VIEW**



**FRONT VIEW**

8x6

Note: Include ADA symbol in accordance with Accessible Building Code.

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0806(V) (Square)

I.D. Size: 8" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0606(V) (ClearLens)

Size: 6" x 6"

Paper Color: A00 White

Laser Printed Graphics:

Symbol: (All Gender/Accessible)

Size: 3 3/4"

Color: Laser Printed Black

Sign Band

Part Code: FV-942-354 (Horiz. Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)


REGULATORY SIGNAGE [R]

**Signtype: [R-S]**

STAIR



**PLAN VIEW**



**FRONT VIEW**

8x6

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0806(V) (Square)

I.D. Size: 8" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0606(V) (ClearLens)

Size: 6" x 6"

Paper Color: A00 White

Laser Printed Graphics:

Symbol: S48 (Stairs)

Size: 4"

Color: Laser Printed Black

Part Code: FV-942-354 (Horizontal Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)


REGULATORY SIGNAGE [R]

**Signtype: [R-SE]**

STAIR EXIT



**PLAN VIEW**



**FRONT VIEW**

8x6

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0806(V) (Square)

I.D. Size: 8" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0606(V) (ClearLens)

Size: 6" x 6"

Paper Color: A00 White

Laser Printed Graphics:

Symbol: S48 (Stairs)

Size: 4"

Color: Laser Printed Black

Part Code: FV-942-354 (Horizontal Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)



## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-FL1]

STAIR FLOOR LEVEL/ EXIT (>3 FLOORS)



20x15

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape

Top Plaque:

Part Code: FV-942-354 (Horiz. Grain)

Size: 20" x 15"

Part Color: Silver

Printed Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 1 1/2", 1" & 5"

Color: A02 Black

Arrow: A120

Size: 1 1/4"

Color: A02 Black

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black


(Braille Color: Same as backgrd.)

## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-FL2]

STAIR FLOOR LEVEL/ EXIT (< 3 FLOOR)



8x8

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape

Top Plaque:

Part Code: FV-942-354 (Horiz. Grain)

Size: 8" x 8"

Part Color: Silver

Printed Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 2"

Color: A02 Black

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 3/4" & 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)

## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-MO]

#### MAXIMUM CCUPANCY IDENTIFICATION



PLAN VIEW



FRONT VIEW

6x6

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

##### Mounting:

Vinyl Tape & MFH

##### Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin

##### Insert:

##### Sign Insert:

Part Code: FV-942-354 (Horiz. Grain)

Size: 6" x 6"

Part Color: Silver

##### Screened Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

## Drawings + Specifications

REGULATORY SIGNAGE [R]

**Signtype: [R-EL]**

ELEVATOR



**PLAN VIEW**



**FRONT VIEW**

8x7

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0807(V) (Square)

I.D. Size: 8" x 7"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-942-354 (Horiz. Grain)

Size: 8" x 7"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)

## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-E1]

ADA EXIT



PLAN VIEW



FRONT VIEW

6x6

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-942-354 (Horiz. Grain)

Size: 6" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 1 1/2"

Color: A02 Black

(Braille Color: Same as backgrd.)

REGULATORY SIGNAGE [R]

**Signtype: [R-E2]**

ADA EXIT



**PLAN VIEW**



**FRONT VIEW**

6x6

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-942-354 (Horiz. Grain)

Size: 6" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 1 1/2"

Color: A02 Black

(Braille Color: Same as backgrd.)


## REGULATORY SIGNAGE [R]

### Signtype: [R-AL]

#### ASSISTIVE LISTENING



PLAN VIEW



FRONT VIEW

3x6

## APPROVED MANUFACTURER SPEC INCLUDED BELOW:

### APCO:

#### FULLVIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0306(V) (Square)

I.D. Size: 3" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0306(V) (ClearLens)

Size: 3" x 6"

Paper Color: A00 White

Laser Printed Graphics:

Symbol: M53 (Hearing Assistance)

Size: 2"

Color: Laser Printed Black

Copy: HelveticaNeue-Roman (HR)

Size: 5/16"


Color: Laser Printed Black

## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-MED]

MEDICAL SYMBOL



PLAN VIEW



FRONT VIEW

4.08x4.08

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

VT & MFH

Frame:

FVS0404(V) (Square)

I.D. Size: 4.08" x 4.08"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVOP0404(V) (Opaque)

Size: 4.08" x 4.08"

Part Color: A02 Black

Screened Graphics:

Logo: LTBD (VA Tech Caduseus)

Size: 3 1/8"

Color: A02 Black & A89 Satin Silver




## Drawings + Specifications

### REGULATORY SIGNAGE [R]

#### Signtype: [R-FP]

FIRE PUMP



### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### PRESSURE SENSITIVE VINYL

101V Background:

Size: 12" x 20"

Color: A01 White

PSV Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 4"(h)

Color: 25-08 Fire Red

REGULATORY SIGNAGE [R]

**Signtype: [R-EXT]**

STAIR FLOOR LEVEL/ EXIT (< 3 FLOOR)



approx  
2.5x9

**APPROVED MANUFACTURER SPEC  
INCLUDED BELOW:**

**APCO:**

**PRESSURE SENSITIVE VINYL**

PSV Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 1"(h)

Color: 25-01 White

## Drawings + Specifications


### ROOM IDENTIFICATION SIGNAGE [ID]

**Signtype:** [ID-S] + [ID-U]

FRAME WITH ROOM NUMBER & ADA BAND



**PLAN VIEW**



**FRONT VIEW**

6x6

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0406(V) (ClearLens)

Size: 4" x 6"

Paper Color: A00 White

ADO Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 3/8" & 1/4"

Color: A02 Black

Sign Band:

Part Code: FV-942-354 (Horiz. Grain)

Size: 2" x 6"

Part Color: Silver

Band Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"


Color: A02 Black

(Braille Color: Same as backgrd.)

## ROOM IDENTIFICATION SIGNAGE [ID]

### Signtype: [ID-S-WET ]

EXTERIOR DOORS FOR NON REGULATORY ADA ID



**PLAN VIEW**



**FRONT VIEW**

6x6

## APPROVED MANUFACTURER SPEC INCLUDED BELOW:

### APCO:

#### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-OP0406(V) (Opaque)

Size: 4" x 6"

Part Color: A78 Pearl Grey

Printed Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 7/16"

Color: A02 Black

Part Code: FV-942-354 (Horizontal Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)

## Drawings + Specifications

### ROOM IDENTIFICATION SIGNAGE [ID]

#### Signtype: [ID-S-CTS]

COUNTER TOP DESK MOUNT



4x6

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS0406(V) (Square)

I.D. Size: 4" x 6"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0406(V) (ClearLens)

Size: 4" x 6"

Paper Color: A00 White

ADO Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 3/8" & 1/4"

Color: A02 Black

## Drawings + Specifications


### ROOM IDENTIFICATION SIGNAGE [ID]

#### Signtype: [ID-S-SLD]

LACTATION ROOM, INTERVIEW ROOM, MEETING ROOM



PLAN VIEW



FRONT VIEW

7 3/16 x 6

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS071806(V)SL (Square)

I.D. Size: 7 3/16" x 6" (approx.)

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL0406(V) (ClearLens)

Size: 4" x 6"

Paper Color: A00 White

Laser Printed Graphics: TBD

Part Code: FV-SL (Slider)

Size: 30mm x 6"

Part Color: Natural Satin

Slider Color: A89 Satin Silver

Paper Color: A78 Pearl Grey

Laser Printed Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 3/8"

Color: Laser Printed Black

Part Code: FV-942-354 (Horizontal Grain)

Size: 2" x 6"

Part Color: Silver

Raster Graphics:

Copy: HelveticaNeue-Roman (HR)

Size: 5/8"

Color: A02 Black

(Braille Color: Same as backgrd.)

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [E-MAP]**

EMERGENCY EGRESS MAP



PLAN VIEW



FRONT VIEW

12x11

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS1211(V) (Square)

I.D. Size: 12" x 11"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL1211(V) (ClearLens)

Size: 12" x 11"

ADO Color: Per artwork

## Drawings + Specifications


EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

### Signtype: [DIR]

DIR (STANDARD SIZE WALL MOUNTED DIRECTIONAL SIGN)



PLAN VIEW



FRONT VIEW

12x11

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS1211(V) (Square)

I.D. Size: 12" x 11"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL1211(V) (ClearLens)

Size: 12" x 11"

ADO Paper Color: A00 White

ADO Graphics:

Color Block:

Size: 2" x 2"

Color: PMS 208 Red

Arrow: LTBD (Custom A107)

Size: 1 3/8"

Color: A01 White

Copy: HelveticaNeue-Roman (HR)

Size: 9/16"

Color: A02 Black

Symbol: S3 (Accessible)

Size: 5/8"

Color: A02 Black

Rule:

Size: 1/32" x 7 11/16"

Color: PMS 208 Red




## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

### Signtype: [DIR-CM1]

DIRECTIONAL INFORMATION



12x48

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW CEILING MOUNT

Part Code: CMT-M (Metal)

Track Color: Natural Satin

Track Width: 46"

Double Sided Graphics

Frame:

FVS1248(H)CM

Square Holder

Holder Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-CL (ClearLens)

Size: 12"(h) x 48"(w)

ADO Backg.d Color: A00 Paper White

ADO Graphics:

Custom Arrow: ATBD

Size: 4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 13/16" (Alt: 13/16" & 5/8")

Color: A02 Black

Vertical Divider Rule Line:

Size: 10 1/8"(h) x 1/8"(w)

Color: PMS 208 C (Magenta)


(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [DIR-CM2]**

DIRECTIONAL INFORMATION



12x24

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW CEILING MOUNT

Part Code: CMT-M (Metal)

Track Color: Natural Satin

Track Width: 22"

Z2 Single Sided Graphics

Z3 & Z3a Double Sided Graphics

Frame:

FVS1224(H)CM

Square Holder

Holder Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-CL (ClearLens)

Size: 12"(h) x 24"(w)

ADO Backg.d Color: A00 Paper White

ADO Graphics:

Custom Arrow: ATBD

Size: 4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 13/16"

Color: A02 Black


(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [DIR-CM3]**

DIRECTIONAL INFORMATION



### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW CEILING MOUNT

Part Code: CMT-M (Metal)

Track Color: Natural Satin

Track Width: 22"

Double Sided Graphics

Frame:

FVS0824(H)CM

Square Holder

Holder Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-CL (ClearLens)

Size: 8"(h) x 24"(w)

ADO Backg.d Color: A14 Medium Grey

ADO Graphics:

Custom Arrow: ATBD

Size: 4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 13/16"

Color: A02 Black


(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

### Signtype: [DIR-FM1]

DIRECTIONAL INFORMATION



12x11

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW WALL MOUNT

Part Code: PWM-M (Metal)

Track Color: Natural Satin

Track Width: 12"

Double Sided Graphics

Frame:

FVS\_1211PWM

Square Holder

Holder Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-CL (ClearLens)

Size: 12"(h) x 11"(w)

ADO Backg.d Color: A14 Medium Grey

ADO Graphics:

Custom Arrow: ATBD

Size: 4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 13/16"

Color: A02 Black


(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

### Signtype: [DIR-FM2]

DIRECTIONAL INFORMATION



8.5x8.5

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW WALL MOUNT

Part Code: PWM-M (Metal)

Track Color: Natural Satin

Track Width: 8.5"

Double Sided Graphics

Frame:

FVS\_\_8585PWM

Square Holder

Holder Color: Natural Satin

Insert:

Sign Insert:

Part Code: FV-CL (ClearLens)

Size: 8.5"(h) x 8.5"(w)

ADO Backg.d Color: A14 Medium Grey

ADO Graphics:

Custom Arrow: ATBD

Size: 4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 13/16"

Color: A02 Black

(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications


EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [DIR-D-22x17]**

DIRECTORY- INFORMATIONAL



PLAN VIEW



FRONT VIEW

22x17

### APPROVED MANUFACTURER SPEC INCLUDED BELOW:

#### APCO:

##### FULL VIEW SERIES

Mounting:

Vinyl Tape & MFH

Frame:

FVS2217(V) (Square)

I.D. Size: 22" x 17"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL2217(V) (ClearLens)

Size: 22" x 17"

ADO Paper Color: A00 White

ADO Graphics:

Color Block:

Size: 3" x 3"

Color: PMS 208 Red

Arrow: LTBD (Custom A107)

Size: 2 1/16"

Color: A01 White

Copy: HelveticaNeue-Roman (HR)

Size: 27/32"

Color: A02 Black

Symbol: S3 (Accessible)

Size: 15/16"

Color: A02 Black

Rule:

Size: .046" x 11 17/32"

Color: PMS 208 Red

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [DIR-D-36x24]**

BUILDING DIRECTORY

**TOP VIEW**

North End Center	
<b>SECOND FLOOR</b>	
Procurement	Suite 2100
Human Resources	Suite 2300
Training Rooms	Rooms 2200-2470
<b>THIRD FLOOR</b>	
Capital Assets and Financial Management	Suite 3110
University Internal Audit	Suite 3200
Lactation Room	Room 3235
University Controller	Suite 3300
Payroll	Accounts Payable
Financial Reporting	Cost Accounting
Fixed Assets	Risk Management
Office for Diversity and Inclusion	Suite 3500
Conference Room	Room 3600
<b>FOURTH FLOOR</b>	
● YOU ARE HERE	
Office of Research Compliance	Suite 4100/4120
Office of Sponsored Programs	Suite 4200
College of Science Administration	Suite 4300
Conference Room	Room 4380
Conference Room	Room 4390
Office of Export and Secure Research Compliance	Suite 4400
Business Services	Suite 4500
Bridge to Parking Deck	

**FRONT VIEW**

**END VIEW**

36x24

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**LARGE FORMAT FULLVIEW WITH CLEARLENS COVER**

Size O.D.: 38.2"(h) x 24.22"(w)

Holder Shape: Square

Holder Color: Natural Satin

Mounting:

Vinyl Tape (VT) & Mech.Fasteners (MFH)

Insert:

Insert(s):

Part Code: ADO Paper

Size: 36"(h) x 24"(w)

ADO Backg.d Color: A00 Paper White

ADO Laser Printed Graphics:

Header Rule Line:

Size: 2" x Bleed

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 1 1/4"

Color: A00 Paper White (Dropped-Out)

Copy: HelveticaNeue-Roman (HR)

Size: 3/4"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 3/8"

Color: A02 Black

Copy: HelveticaNeue-Roman (HR)

Size: 3/16"

Color: PMS 208 C (Magenta)

Copy: HelveticaNeue-Roman (HR)

Size: 1/2"

Color: A02 Black


(Typical Sign Type Shown. All other Location Graphics per Architect's Art Files)

## Drawings + Specifications

ROOM IDENTIFICATION SIGNAGE [ID]

**Signtype:** [INFO-6x6]

INFORMATIONAL SIGN - SMALL



**FRONT VIEW**

6x6

**APPROVED  
MANUFACTURER SPEC  
INCLUDED BELOW:**

**FULLVIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS0606(V) (Square)

I.D. Size: 6" x 6"

Color: Natural Satin



## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND  
INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [INFO-8.5x11]**

INFORMATIONAL SIGN - MEDIUM



PLAN VIEW



FRONT VIEW

11x8.5

**APPROVED MANUFACTURER SPEC  
INCLUDED BELOW:**

**APCO:**

**FULL VIEW SERIES**

Mounting:

Vinyl Tape & MFH

Frame:

FVS1185(V) (Square)

I.D. Size: 11" x 8-1/2"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL1185(V) (ClearLens)

Size: 11" x 8-1/2"

Paper Color: by others

## Drawings + Specifications

EMERGENCY EGRESS, DIRECTIONAL & DIRECTORY, AND INFORMATIONAL SIGNAGE [E-MAP / DIR / INFO]

**Signtype: [INFO-8.5x11-IA]**

(SPECIFY INTERIOR ACCESS TO EASILY CHANGE CONTENTS)



**PLAN VIEW**



**FRONT VIEW**

11x8.5

**APPROVED MANUFACTURER SPEC INCLUDED BELOW:**

**APCO:**

**FULL VIEW Inner Access SERIES**

Mounting:

Vinyl Tape / MFH

Frame:

FVS1185(V)IA (Square)

I.D. Size: 11" x 8-1/2"

Color: Natural Satin

Insert:

Sign Insert:

Part Code: FVCL1185(V) (ClearLens)


# PLACEMENT

## Placement

### SIGN INSTALLATION LOCATION

Notes:

#### Glass Mount



## Placement

### SIGN INSTALLATION LOCATION


#### Double Sign Mount



#### Notes:

Double Sign Mount  
(Vertical)- ADA  
Placement  
48" Minimum to the  
baseline of the lowest  
tactile character

60" Maximum to the  
baseline of the highest  
tactile character



## Placement

### SIGN INSTALLATION LOCATION


#### Flag Mount Example



### Notes:

For flagmount and overhead signage see full view specification in Specifications.

#### FLAG MOUNT



## Placement


### SIGN INSTALLATION LOCATION

#### Wall Mount Directional



Notes:

For further notes see deliverables section and the drawings and specifications section.



Notes:  
The center of wall mounted signs should be 60" to center.

## Placement

### SIGN INSTALLATION LOCATION


#### Overhead Sign Example




Notes:

For flagmount and overhead signage see following notes on page 46.

OVERHEAD SIGN



OVERHEAD SIGN








# Placement

## SIGN INSTALLATION LOCATION

### Flagmount and Overhead Signage Installment



## Notes:

Full View Series  
Double Sided Graphics  
Mounting: CMT-M  
Track Color: Natural  
Satin

FVS1236(H)CM (Square)  
I.D. Size: 12" x 36"  
Color: Natural Stain

Sign Insert:  
Part Code: FVCL1236(H)  
(ClearLens)  
Size: 12" x 36"  
ADO Paper Color: A00  
White

ADO Graphics:  
Color Block:  
Size: 2" x 2"  
Color: PMS 208 Red

Arrow: A107  
Size: 1 3/8"  
Color: A01 White

Copy: HelveticaNeue-  
Roman (HR)  
Size: 1"  
Color: A02 Black

Symbol: S3 (Accessible)  
Size: 1 1/2"  
Color: A02 Black

Color Block:  
Size: 2" x 2"  
Color: PMS 208 Red

Color Block:  
Size: 2" x 2"  
Color: PMS 208 Red

Arrow: A107  
Size: 1 1/32"  
Color: PMS 208 Red  
&A02 Black

# BRANDING + FONTS

## Branding

### Identifying Standards

About Our Name: Our official name is Virginia Polytechnic Institute and State University, but using “Virginia Tech” is preferable in all but formal uses. Virginia Tech is used in news releases, feature articles, and publications and on the web. When using the full name of the university, never use an ampersand instead of “and”. Never use VPI&SU, VPI and SU, VA Tech, Or Virginia Tech University. “Tech” is acceptable after a first reference to “Virginia Tech”, but it should not be used repeatedly or solely. “VT” and “Va. Tech” are acceptable only in limited informal situations, such as a news headline where space is tight. Do not use “VT” or “Va. Tech” in body copy, in titles of publications, on signs, or in any formal publication.

### University Seal

Athletic trademarks are applicable only in athletic and informal usage and must not be used for academic applications, academic products, or university. Using the university seal in non-university publication is prohibited without prior approval from the University.

For more information on branding please see University Relations at:  
<http://www.unirel.vt.edu/>

## ADA Compliance

### Typography

#### Overview

To ensure legibility of signage Arial or Helvetica will be used in interior signage. This promotes consistency across ADA compliant signage.

Arial regular typeface and Helvetica typeface are used on interior signage because it is a universal non-serif standard that is easy to read. Currently, Helvetica is the font used for the ADA band raised number and lettering.

We will retain Helvetica for raised signage numbering/lettering to maintain ADA legibility as well as retain Arial for printed signs to maintain ADA legibility compliance and ease of use for end users printing the templates.

### Typography

#### Arial

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789!@#\$%^&\*~({["-+'=.,,:†‡•””}))

#### Helvetica

ABCDEFGHIJKLMNOPQRSTUVWXYZ  
abcdefghijklmnopqrstuvwxyz  
0123456789!@#\$%^&\*~({["-+'=.,,:†‡•””}))

## Contact

### **FACILITIES DEPARTMENT**

112 Facilities Complex (0529)  
Blacksburg, VA 24061

540-231-4300  
[www.facilities.vt.edu](http://www.facilities.vt.edu)


**LIVE ◀ LEARN ▶ WORK**

Revised 2018


# APPENDICES

VT: (Bldg. / Project Name)					Floor: 1	
Signage Schedule					Type: Metal Color: Silver	
KEY						
	<b>R: Regulatory Signage (Required for Occupancy)</b> <ul style="list-style-type: none"><li>Regulatory signage to be highlighted at the top section of spreadsheet for each floor.</li><li>Standard regulatory signage lables can not be changed without VT approval.</li><li>Frame, content and installation by CM.</li></ul>					
	<b>ID: Room Identification Signage (Utility &amp; Standard)</b> <ul style="list-style-type: none"><li>Content to be generated from labels on architectural plans by A/E.</li><li>Final VT content development by VT-OUP / department representative.</li><li>FF&amp;E work order to VT-Print Services for content.</li><li>Frame and installation by CM.</li></ul>					
	<b>E-MAP / DIR / INFO: Emergency Egress, Dircectional &amp; Directory and Informational Signage</b> <ul style="list-style-type: none"><li>Frame, content and installation by CM.</li><li>Graphic layouts by A/E using VT supplied ai templates.</li><li>A/E Deliverable- adobe illustrator electronic files to OUP for future change</li></ul>					
Arch. Room #	Sign Type	Permanent Message: Room # Braille	Installation Type	Display Message	Insert	Notes
A60	R-M	Men	Wall	Men's Restroom Symbol		
A62	R-W	Women	Wall	Women's Restroom Symbol		
A70	R-EL	Elevator	Wall	Elevator Symbol		Do Not Use
A80	R-SE	Stair A Level 1	Wall	Stair Symbol, Stair Exit		Quantity-2
A10	R-S	Stair B Level 1	Wall	Stair Symbol (S1, L1)		Quantity-2
115	R-MO	N/A	Wall	Max Occ. 55		Mount inside room near exit
A38	ID-U	A38	Wall	Communications Room		
A39	ID-U	A39	Wall	Housekeeping Closet		
A40	ID-U	A40	Wall	Mechanical Room		
A42	ID-U	A40	Wall	Electrical Room		
A50	ID-S-SLD	A42	Glass*	Lactation Room		"In Use/ Vacant" Slider band
113A	ID-S	113A	Glass*	TBD		Occupant name to be provided by VT client
113B	ID-S	113B	Wall	Storage		
113	ID-S	113	Glass*	TBD		Occupant name to be provided by VT client
114	ID-S	114	Wall	Break Room		
105	ID-S	115	Glass*	Conference Room		
106	ID-S	115	Glass*	Classroom		
116	ID-S	116	Wall	TBD		Occupant name to be provided by VT client
117	ID-S	117	Wall	Mail/ Copy Room		
105	E-MAP	N/A	Wall	Emergency Egress Map		graphic content/ layout to be provided by A/E
128	E-MAP	N/A	Wall	Emergency Egress Map		graphic content/ layout to be provided by A/E
145	E-MAP	N/A	Wall	Emergency Egress Map		graphic content/ layout to be provided by A/E
105	DIR	N/A	Wall	Directional		graphic content/ layout to be provided by A/E
128	DIR	N/A	Wall	Directional		graphic content/ layout to be provided by A/E
145	DIR	N/A	Wall	Directional		graphic content/ layout to be provided by A/E


\* Glass mounting requires opaque black vinyl backer to be applied to inside of glass to hide the back of sign from view



 Elevator  
Suite 320




 Restrooms  
Classroom 340  
Rooms 322- 348



Lobby  
Stairs





# SIGNATURE ENGINEERING - 1ST FLOOR

ENVIRONMENTAL, HEALTH & SAFETY SERVICES: 231-5985

TRIM LINE

## E-MAP TEMPLATE

INSTALLATION INFO:  
 EMERGENCY EGRESS SIGN  
 BUILDING NAME, FLOOR, AREA  
 (EXAMPLE: ICTAS II, 1ST FLOOR, AREA A2)

- A/E TO PROVIDE GRAPHIC:**
- PROVIDE FLOOR PLAN
  - IDENTIFY BUILDING/ FLOOR
  - INDICATE KEY ITEMS ON MAP
  - PROVIDE ACCURATE SCALE
  - PROVIDE INSTALLATION INFO.