Locality Recycling Rate Report



Commonwealth of Virginia Locality Recycling Rate Report For Calendar Year 2018

Contact Information

Reporting Solid Waste Planning Unit: Virginia Tech

Person Completing This Form: Dennis C. Cochrane

Title: Director, Office of Sustainability, Facilities Department

Address: Sterrett Center (Mail Code 0529), 230 Sterrett Drive, Blacksburg, Virginia 24061

Phone #: (540) 231-5184 Email Address: dennisce@vt.edu

Summary: Virginia Tech, the Town of Blacksburg, the Town of Christiansburg, and Montgomery County are the four jurisdictional members of the "Montgomery Regional Solid Waste Authority (MRSWA). Located in Christiansburg, MRSWA operates a transfer facility that receives the majority of our principal recyclable materials (PRMs), and all of our municipal solid waste (MSW). Virginia Tech uses a "Single Stream" Recycling System. Recyclable materials are transported from the university to MRSWA, weighed, and further transported to "Recycling & Disposal Solutions (RDS)." RDS serves as the recycling "hub" for our region receiving materials from both the New River and Roanoke Valleys. Food waste is collected from our 11 on-campus dining facilities and stored at a central location in a 10 ton "sledge" container. When the container is full, "Royal Oak Farm (ROF)" transports it to their composting facility located near Lynchburg, Virginia. Solid Waste materials are transported to MRSWA, weighed, and further transported to the local landfill operated by the "New River Resource Authority (NRRA)" in Pulaski County near Dublin, Virginia. MRSWA prepares a consolidated recycling rate report for our region to include the four jurisdictional members, and submits it to the Commonwealth of Virginia Department of Environmental Quality (DEQ). Virginia Tech uses this DEQ format to calculate our base recycling rate, our waste diversion rate, and our final recycling rate. For Calendar Year 2018 our base recycling rate was 35.5%, our waste diversion rate was 69.9% (percentage of waste kept out of the local landfill), and our final recycling rate was 40.8% (see data and calculations on page 2).

Data in this report was collected from our recycling and solid waste facilities and campus stakeholders. I certify that I have personally examined, and am familiar with, the information submitted in this form and any attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Dennis C. Cochrane

10 min

Authorized Signature

Director, Office of Sustainability

Title

March 29, 2019

Date

Locality Recycling Rate Report

For Calendar Year 2018

PART A: Recycling Rate Calculation - Using the formulae provided below and the information reported on Pages 3, 4 and 5 to calculate your recycling rates.

Step 1: [(PRMs) / (PRMs + MSW Disposed)] X 100 = Base Recycling Rate % 2,242 4,018 35.8 2,242 % X 100 =+ **TONS** TONS **TONS** Step 2: CREDITS calculation 0 tons a. Total Recycling Residue b. Total Solid Waste Reused 17 tons 7,056 tons c. Total Non-MSW Recycled 7,073 tons **CREDITS** Adjusted Step 3: [(PRMs + CREDITS) / (PRMs + CREDITS + MSW Disposed)] X 100 = Recycling Rate #1* 2,242 7,073 4,018 69.9 % 2,242 7,073 + + X 100 =+ **TONS TONS TONS TONS TONS** Source Reduction Credit does not apply; or Step 4: Adjusted Recycling Rate #1 + 2% SRP Credit = Adjusted Recycling Rate #2* % + 2% % 69.9 71.9 % Step 5: Final Recycling Rate* for Solid Waste Planning Unit = 40.8 * Total credits resulting from Steps 3 and 4 may not exceed 5 percentage points above the Base Recycling Rate achieved by the Solid Waste Planning Unit.

Locality Recycling Rate Report PART B: DATA

Part I: Principal Recyclable Materials (PRMs): Report only PRM material generated within the reporting SWPU and recycled, NOT imported PRMs for recycling.

DDM TYDE	RECYCLED AMOUNT (TONS)
$\frac{PRM TYPE}{P}$	
Paper	458
Metal	101
Plastic	0
Glass	0
Commingled (also known as Single Stream)	<u>456</u>
Yard Waste (composted or mulched)	<u>260</u>
Waste wood (chipped or mulched)	<u>175</u>
White Goods	<u>8</u>
Tires	<u>4</u>
Used Oil	<u>5</u>
Used Oil Filters	<u> </u>
Batteries	<u>9</u>
Electronics	<u>7</u>
Fluorescent Bulbs & Ballasts	<u>29</u>
Food Waste Organic - Composting	<u>679</u>
Waste Cooking Oil	<u>50</u>
TOTAL PRMs	2,242 (PRMs) (Enter Total on Page 2, Step 1)

(Enter Total on Fage 2, Step 1)	
Listing of sources for PRM data (consider only Virginia generated waste material)	
 Permitted solid waste facilities from which MSW disposed/recycled data was col Department of Facilities: Office of Sustainability Department of Facilities: Operations (Buildings & Grounds) Department of Facilities: Capital Construction & Renovation Department of Environmental Health & Safety Division of Student Affairs: Dining Services Division of Student Affairs: Housing and Residence Life Department of Parking & Transportation: Fleet Services Department of Human Resources Athletic Department 	lected:
 Other facilities/operations (not included in #1 above) from which MSW disposed, was collected: a. Montgomery Regional Solid Waste Authority (MRSWA) b. YMCA at Virginia Tech (Ytoss? Partnership with VT) c. d. e. f. g. 	recycled data

Part II: Credits by Category	(see Credits	Worksheet,	Page 5	5)
------------------------------	--------------	------------	--------	----

A. Recycling Residue – "Recycling residue" means the (i) nonmetallic substances, including but not limited to plastic, rubber, and insulation, which remain after a shredder has separated for purposes of recycling the ferrous and nonferrous metal from a motor vehicle, appliance, or other discarded metallic item and (ii) organic waste remaining after removal of metals, glass, plastics and paper which are to be recycled as part of a resource recovery process for municipal solid waste resulting in the production of a refuse derived fuel. (§ 10.1-1400 of the <i>Code of Virginia</i>) (use only SWPU generation)
MATERIAL DESCRIPTION FACILITY/OPERATION TONS OF MATERIAL from from from from from from from from
TOTAL RECYCLING RESIDUE
(Enter Total on Page 2, Step 2 a)
B. Solid Waste Re-Used
MATERIAL DESCRIPTION REUSE METHOD TONS OF MATERIAL Furniture/Appliances Ytoss? Program (Partnership with YMCA) 7 Food Donation Campus Kitchen Program (Dining Services 10
TOTAL SOLID WASTE REUSED 17 (Enter Total on Page 2, Step 2 b)
C. Non-Municipal Solid Waste (MSW) Recycled
NA ATEDIA I
MATERIAL DESCRIPTION RECYCLING METHOD TONS OF MATERIAL
Asphalt VDOT Roadwork & Parking Lot Milling 6,658
EPDM Materials Membrane and Roofing (McComas Hall) 2
Concrete/Masonry/Asphalt Davidson/Sandy/Lib Arts Bldg Halls 396
TOTAL NON-MSW RECYCLED 7,056
(Enter Total on Page 2, Step 2 c)

D: A credit of two (2) percentage points may be added to the Adjusted Recycling Rate #1 if the Solid Waste Planning Unit has implemented a Source Reduction Program (SRP). Examples of SRPs include Grass-cycling, Home Composting, Clothing Reuse, Office Paper Reduction (duplexing), Multi-Use Pallets, or Paper Towel Reduction. The SRP must be included in the Solid Waste Management Plan on file with the Department:

SRP description: Ytoss? 2018 (partnership with the YMCA at Virginia Tech & the university)

collected 7 tons of reusable items in residence halls during spring move-out.

SRP description: Campus Kitchen Program has provided 10 tons of food donations from our

dining facilities to families in need in the Blacksburg Community

SRP description: The student Green RFP Program (unique to VT) has providing funding for

reusable to-go food containers for use in four on-campus dining facilities.

(Certify on Page 2, Step 4)

Exclusions: For the purposes of this report, the following materials are not considered solid wastes, and should not be included in any of the data categories utilized in calculating the recycling rate.

- 1. Biosolids -industrial sludge, animal manures; or, sewage sludge (unless composted)
- 2. Automobiles unless part of the Inoperable Vehicle Program (DMV)
- 3. Leachate
- 4. Soils contaminated soils, soil material from road maintenance
- 5. Household hazardous waste
- 6. Hazardous waste
- 7. Medical waste
- 8. Rocks or stone

waste-to-energy facility.

9. Woody waste derived from land clearing for development, VDOT or easement tree trimming/clearing.

Part III: Total Municipal Solid Waste (MSW) Disposed** - Report only MSW generated within the reporting jurisdiction(s), NOT imported wastes or industrial wastes.

MSW TYPE	TOTAL AMOUNT of MSW DISPOSED (TONS)
Household	<u> </u>
Commercial	
Institutional	
Other (DO NOT INCLUDE INDUSTRIAL WASTES)	4,018
TOTAL MSW DISPOSE	D 4,018 (Enter Total on Page 2, Step 1 and Step 3)
Note: MSW DISPOSED for the purpose of this rep delivered to a waste-to-energy facility, or managed	ort means delivered to a permitted sanitary landfill, at a transfer station for transport to a landfill or

Credits	Worksheet			
I.	Reuse of any Soli	id Waste		
	√ PRM	Material description	Tons	
-	PRM			
-	PRM Industrial			
_	Construction			
_ =	Demolition			
	Debris Other			
-		Res Hall used furniture/appliances		
		Donated Food Program (Dining Svcs		· · · · · · · · · · · · · · · · · · ·
		TOTAL TONS	17	(enter data on Page 4, Solid Waste Re-Used)
II.	Recycling of any	Non-Municipal Solid Waste		bond waste ite osed)
	1		T	
	√ X Roadwork	Material description Asphalt (New Campus Entrance)	Tons 4,460	
-	X Roadwork	Asphalt (Alumni Mall Entrance)	$\frac{-1,100}{2,198}$	
_	X Roofing	EPDM Material (McComas Hall)	2	
_	X Construction	Concrete/Msnry/Asphlt (Davidson)	42	
-	X Construction X Construction	Concrete/Msnry/Asphlt (Sandy) Concrete/Msnry/Asphlt (Lib Arts)	<u>300</u> 54	
1-	Other	Concrete/Wishi y/Aspint (Lio Arts)		
		TOTAL TONS	7,056	(enter data on Page 4, Non-MSW Recycled)
III.		icles Removed and Demolished – inc I reimbursement from DMV under §46		
	# of vehicles rem	oved/reimbursement received	0	
		ge tonnage per vehicle	X 1 Ton eac	h
		Total Tons	0	(enter data on Page 3, PRMs, Inoperative
				Motor Vehicle Program)

NOTE: Check "Exclusions" on Page 5 to avoid listing of those materials on this worksheet and/or in the data fields of this report.

Locality Recycling Rate Report

Part C: Recycling Rate Report Instructions

Amended Regulations for the Development of Solid Waste Management Plans (9 VAC 20-130-10 et seq.) require that Solid Waste Planning Units (SWPUs) in the Commonwealth develop complete, revised solid waste management plans. Section 9 VAC 20-130-120 B & C of the Regulations requires that a minimum recycling rate of the total municipal solid waste generated annually in each solid waste planning unit be maintained. It also requires that the plan describe how this rate shall be met or exceeded and requires that the calculation methodology be included in the plan. Section 9 VAC 20-130-165 D establishes that every solid waste management planning unit with populations over 100,000 shall submit to the department by April 30 of each year, the data and calculations required in 9 VAC 20-130-120 B & C for the preceding calendar year. SWPUs with populations of 100,000 or less are only required to report every 4 years (CY years 2016 and forward).

NOTE: ONLY RECYCLING RATE REPORTS FROM AN APPROVED SOLID WASTE PLANNING UNIT (SWPU) WILL BE ACCEPTED FOR PROCESSING. JURISDICTIONS WITHIN A SWPU MUST SUBMIT THEIR RECYCLING DATA TO THE SWPU FOR INCORPORATION INTO THE ANNUAL REPORT.

It is requested that all amounts included on the form be listed in **tons** (2,000 pounds), rounded to the nearest whole ton. If actual weights are not known, volumes can be converted to weight estimates. To assist you with these estimates, a standardized volume-to-weight conversion table is attached.

Contact Information Section: Please provide information on the Reporting SWPU and information on the individual completing this form. Under Member Governments, please list the local governments identified in the applicable solid waste management plan.

Calculated Recycling Rate Section: Using the formulae provided, calculate your recycling rates for the reporting period from information identified in the Recycling Rate Calculations Section.

Signature Block Section: Please provide an authorized signature prior to submitting the completed form. Authorized signatories include Executive Officer, Administrator, or other legally designated representative of the SWPU reporting entity.

Recycling Rate Calculations Section: Please provide the requested information:

Part I: Principal Recyclable Material (PRM) - Report the amount in tons of each PRM collected for recycling in the named jurisdiction(s) during the reporting period. PRMs include paper, metal, plastic, container glass, commingled, yard waste, waste wood, textiles, tires, used oil, used oil filters, used antifreeze, batteries, electronics, and other materials approved by the Director taken from the Municipal Solid Waste (MSW) generation. A one ton credit may also be entered for each inoperable motor vehicle for which a locality receives reimbursement from the Virginia Department of Motor Vehicles under §46.2-1207 of the *Code of Virginia*. The total weight in TONS of all PRMs collected for recycling is represented as PRMs in the Recycling Rate Calculation. New for CY 2015:

Provide source information for the PRMs reported on the report (permitted and unpermitted facilities).

Part II: Credits - Report the amount in **TONS** of each material for which recycling credit is authorized in §10.1-1411.C of the *Code of Virginia*: (i) one ton for each ton of recycling residue generated in Virginia and deposited in a landfill permitted under §10.1-1408.1 of the *Code of Virginia*; (ii) one ton for each ton of any solid waste material that is reused; and, (iii) one ton for each ton of any non-municipal solid waste that is recycled. The total weight in **TONS** of all material for which credits are authorized is represented as **CREDITS** in the Recycling Rate Calculation. A credit of two percentage points of the minimum recycling rate mandated for the Solid Waste Planning Unit (SWPU) may be taken for a source reduction program that is implemented and identified in its Solid Waste Management Plan. Total credits may not exceed five percentage points above the Base Recycling Rate achieved by the SWPU.

Part III: Total Municipal Solid Waste (MSW) Disposed: Report the total amount in TONS of MSW that was disposed of by the Solid Waste Planning Unit (SWPU) during the reporting period for each of the source categories (Household, Commercial, Institutional, and Other). For the purpose of this report, "disposed," means delivery to a permitted sanitary landfill or waste incinerator for disposal, and excludes industrial wastes. Industrial waste and by-products should not be included in the MSW or Recycling calculation. The total weight in tons of MSW disposed is represented as MSW Disposed in the Recycling Rate Calculation.

Locality Recycling Rate Report Volume to Weight Conversion Table

Material	Volume Volume to We	Weight in Pounds
Metal		
Aluminum Cans, Whole	One cubic yard	50-74
Aluminum Cans, Flattened	One cubic yard	250
Aluminum Cans	One full grocery bag	1.5
Ferrous Cans, Whole	One cubic yard	150
Ferrous Cans, Flattened	One cubic yard	850
Automobile Bodies	One vehicle	2,000
Paper		
Newsprint, Loose	One cubic yard	360-800
Newsprint, Compacted	One cubic yard	720-1,000
Newsprint	12" stack	35
Corrugated Cardboard, Loose	One cubic yard	75-100
Corrugated Cardboard, Baled	One cubic yard	1,000-2,000
Plastic	- Sile duste faite	
PETE, Whole, Loose	One cubic yard	30-40
PETE, Whole, Loose	Gaylord	40-53
PETE, Whole, Baled	30" x 62"	500
Film, Baled	30" x 42" x 48"	1,100
Film, Baled	Semi-Load	44,000
Film, Loose	Standard grocery bag	15
HDPE (Dairy Only), Whole, Loose	One cubic yard	24
HDPE (Dairy Only), Whole, Loose HDPE (Dairy Only), Baled	32" x 60"	400-500
HDPE (Mixed), Baled	32 x 60"	900
	One cubic yard	32
Mixed PET & Dairy, Whole, Loose	One cubic yard One cubic yard	38
Mixed PET, Dairy & Other Rigid	One cubic yard	36
(Whole, Loose)	One cubic yard	49
Mixed Rigid, No Film	One cubic yard	49
Glass	Olis roud	600-1,000
Glass, Whole Bottles	One cubic yard	1,000-1,800
Glass, Semi-Crushed	One cubic yard	800-2,700
Glass, Crushed (Mechanically)	One cubic yard	16
Glass, Whole Bottles	One full grocery bag	125-500
Glass, Uncrushed to Manually	55 gallon drum	123-300
Broken	<u> </u>	
Arboreal	LOur subjection	200-250
Leaves, Uncompacted	One cubic yard	300-450
Leaves, Compacted	One cubic yard	
Leaves, Vacuumed	One cubic yard	350 500
Wood Chips	One cubic yard	
Grass Clippings	One cubic yard	400-1,500
Other		
Battery (Heavy Equipment)	One	60
Battery (Auto)	One	35.9
Used Motor Oil	One gallon	7.4
Used Oil Filters (Uncrushed)	55 gallon drum	66 Lbs./Used Oil +
II IOTEI (C. I. I.	55 11 du	110 Lbs./Ferrous Metal 16.5 Lbs./Used Oil +
Used Oil Filters (Crushed)	55 gallon drum	1
m; p		368 Lbs./Ferrous Metal
Tire - Passenger Car	One	20
Tire - Truck, Light	One	35
Tire - Semi	One	105
Antifreeze	One gallon	8.42
Food Waste, Solid & Liquid Fats	55 gallon drum	412
Electronics: CRT/CPU/LapTop/TV	Each (avg wt from NCER)	38/26/8/49 respectively
	This Table For General Guidance O	nlv.